

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/668,115	09/19/2003	Jun Nakajima	HGM-109-A	7647
21828	7590 10/13/2004		EXAM	INER
CARRIER BLACKMAN AND ASSOCIATES			BASINGER, SHERMAN D	
24101 NOVI I	ROAD			
SUITE 100			ART UNIT	PAPER NUMBER
NOVI, MI 4	8375		3617	
,		,		

DATE MAILED: 10/13/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summan	10/668,115	NAKAJIMA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Sherman D. Basinger	3617			
The MAILING DATE of this communica Period for Reply	tion appears on the cover sheet with	the correspondence address			
A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICA  - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communical of the period for reply specified above is less than thirty (30) of the following period for reply is specified above, the maximum statutes Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	ATION.  FOR 1.136(a). In no event, however, may a repocation.  ays, a reply within the statutory minimum of thirty ( by period will apply and will expire SIX (6) MONTH,  by statute, cause the application to become ABAI	ly be timely filed  (30) days will be considered timely.  HS from the mailing date of this communication.  NDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed	on .				
	_ <del></del>				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-8</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction	n and/or election requirement.				
Application Papers					
9) The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>19 Se<i>ptember</i> 2003</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
<u> </u>	cuments have been received. cuments have been received in Ap the priority documents have been re I Bureau (PCT Rule 17.2(a)).	plication No eceived in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date					
Notice of Draitsperson's Patent Drawing Review (PTO     S) Information Disclosure Statement(s) (PTO-1449 or PT Paper No(s)/Mail Date		ormal Patent Application (PTO-152)			

Application/Control Number: 10/668,115

Art Unit: 3617

#### **DETAILED ACTION**

#### Oath/Declaration

1. The declaration filed under 37 C.F.R. 1.63 in response to the notice of a missing or unsigned declaration has been received.

#### **Drawings**

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the drain holes of claim 5 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will

Art Unit: 3617

be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

# Claim Objections

3. Claim 5 is objected to because of the following informalities: In claim 5 "the horizontal surface thereof" has no clear antecedent. Appropriate correction is required.

# Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1, 2 and 8 are rejected under 35 U.S.C. 102(b) as being anticipated by Nishida.

The battery is 27, the strap is 26 and the tray is clearly shown supporting the battery.

### Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishida in view of Lavanture.

Nishida does not disclose structure for accommodating any one of a number of different size batteries. Lavanture discloses such structure-note adapters 30. It would have

Art Unit: 3617

been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to provide adapters similar to 30 of Lavanture to the battery trap of Nishida. Motivation to do so is to allow the use of different size batteries in the personal watercraft of Nishida.

Nishida does not disclose a plurality of hooks to receive securing straps thereon to secure a battery to the battery mounting structure. Note the hooks of Lavanture-see hooks 46.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to provide hooks similar to 46 of Lavanture to the tray of Nishida. Motivation to do so is to provide a guide for the securing strap.

8. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nishida in view of Vaishnay et al.

The tray of Nishida does not disclose drain holes selectively located about the horizontal surface. Note the drain holes 56 of Vaishnav et al. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to provide drain holes similar to 56 of Vaishnav et al to the tray of Nishida. Motivation to do so is to allow water and other fluids to drain from the tray.

9. Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishida in view of Bienenstein, Jr.

Application/Control Number: 10/668,115

Art Unit: 3617

Nishida does not disclose the platform section and reinforcing ribs. Note that the tray of Bienenstein, Jr. has a platform 61 for holding a fuse box and reinforcing ribs for the platform. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to provide a similar platform and ribs to the tray of Nishida for supporting a magnet box or a fuse box.

#### Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sherman D. Basinger whose telephone number is 703-308-1139. The examiner can normally be reached on M-F (6:00-2:30 ET).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samuel J. Morano can be reached on 703-308-0230. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sherman D. Basinger

Page 5

Primary Examiner

Art Unit 3617

Application/Control Number: 10/668,115

Art Unit: 3617

sdb 10/7/04 Page 6